

# Little Rainbow Nursery

## Manual Handling policy

(Health and Safety)

As it is not possible to eliminate manual handling altogether, correct handling techniques must be followed to minimise the risks of injury. A variety of injuries may result from poor manual handling and staff must all be aware and adhere to the nursery's manual handling policy.

### Preventing injuries

As with other health and safety issues, the most effective method of prevention is to eliminate the hazard – in this case, to remove the need to carry out hazardous manual handling. For example, it maybe possible to re-design the workplace so that items do not need to be moved from one area to another.

Where manual-handling tasks cannot be avoided, they must be assessed as part of the risk assessment. This involves examining the tasks and deciding what the risks associated with them are, and how these can be removed or reduced by adding control measures.

A number of factors increase the risk of manual handling injuries, and these should be considered and controlled. The following paragraphs offer a number of suggestions.

### Correct lifting procedure Planning and procedure

- Think about the task to be lifting, where you will put it, how far you are going to move it and how you are going to get there.
- Never attempt manual handling unless you have read the correct techniques and understood how to use them.
- Ensure that you are capable of undertaking the task – people with health problems and pregnant women may be particularly at risk of injury.
- Assess the size, weight and centre of gravity of the load to make sure that you can maintain a firm grip and see where you are going.
- Remove any unnecessary packaging, if this will make the task safer.
- Reduce the size and weight of loads to make handling easier. This could involve suppliers packing items into smaller consignments before delivery or unpacking packages before moving them.
- Assess whether you can lift the load safely without help. If not, get help or use specialist moving equipment e.g. a trolley. Bear in mind that it may be too dangerous to attempt to lift some loads.
- If more than one person is involved, plan the lift first and agree who will lead and give instructions.

- Plan your route and remove any obstructions. Check for any hazards such as uneven/slippery flooring.
- Light should be adequate.
- Control harmful loads – for instance, by coving sharp edges or by insulating hot containers.
- Avoid lifting unsafe loads, such as damaged glass or badly packed chemicals.
- Check whether you need any personal protective equipment (PPE) and obtain the necessary items, if appropriate. Check the equipment before use and check that it fits you.
- Ensure that you are wearing the correct clothing, avoiding tight clothing and unsuitable footwear.
- Consider a resting point before moving a heavy load or carrying something any distance.

### **Position**

- Stand in front of the load with your feet apart and your leading leg forward. Your weight should be even over both feet. Position yourself (or turn the load around) so that the heaviest part is next to you. If the load is too far away, move toward it or bring nearer before starting the lift. Do not twist your body to pick it up.

### **Lifting**

Always lift using the correct posture:

- Bend the knees slowly, keeping the back straight.
- Tuck the chin in on the way down.
- Lean slightly forward if necessary and get a good grip.
- Keep the shoulders level, without twisting or turning from the hips.
- Try to grip with the hands around the base of the load.
- Bring the load to waist height, keeping the lift as smooth as possible.

### **Moving the load**

- Move the feet, keeping the load close to the body.
- Proceed carefully; making sure that you can see where you are going.
- Lower the load, reversing the procedure for lifting.
- Avoid crushing fingers or toes as you put the load down.
- Position and secure the load after putting it down. Make sure that it is rested on a stable base.
- Report any problems immediately, for example, strains and sprains. Where there are changes, for example to the activity or the load, the task must be reassessed.
- Carry loads close to the body, lifting and carrying the load at arm's length increases the risk of injury.
- Avoid awkward movements such as stooping, reaching or twisting.
- Ensure that the task is well designed and that procedures are followed.
- Try never to lift from the floor or to above shoulder height. Limit the distances for carrying.

- Minimise repetitive actions by re-designing and rotating tasks.
- Ensure that there are adequate rest periods and breaks between tasks.
- Plan ahead – use teamwork where the load is too heavy for one person.

**The environment**

- Ensure that the surroundings are safe. Flooring should be even and not slippery, lighting should be adequate, and the temperature and humidity should be suitable.
- Remove obstructions and ensure that the correct equipment is available.

**The individual**

- Never attempt manual handling unless you have been trained and given permission to do so.
- Ensure that you are capable of undertaking the task – people with health problems and pregnant women may be particularly at risk of injury.

This policy was adopted on: April 2021

Date for review; April 2022